



Endo Announces New Data for Dupuytren’s Contracture Presented at the American Association for Hand Surgery Annual Meeting

January 19, 2024

DUBLIN, January 19, 2024 – Endo International plc (OTC: ENDPQ) announced today that two new presentations related to Dupuytren’s contracture and XIAFLEX® (collagenase clostridium histolyticum) were shared during the American Association for Hand Surgery (AAHS) annual meeting. Endo provided funding through an investigator-initiated research grant.

“This medical knowledge presented at the AAHS annual meeting may help healthcare providers treat patients with Dupuytren’s contracture and, hopefully, improve patient outcomes,” said Dr. Jason Nydick, an orthopedic hand surgeon at Florida Orthopaedic Institute in Tampa, Florida and lead investigator of the studies. “The results related to the effective treatment of the proximal interphalangeal (PIP) joint with XIAFLEX are particularly noteworthy.”

The two new Endo-supported research presentations are below:

- **Clinical Effectiveness of Splinting After Collagenase Clostridium Histolyticum Injection for Dupuytren’s Contracture**
 - Authors: Craig Dent, MS; Nino Coutelle, MD; Meera Gill, DO; Peter Simon, PhD; Jason Nydick, DO
 - Investigator-initiated research funding grant provided by Endo
- **Clinical Outcomes of Collagenase Injections in Management of Dupuytren’s Contracture of the Proximal Interphalangeal Joint**
 - Authors: Craig Dent, MS; Nino Coutelle, MD; Andrew Moore, MD; Matthew Nester, BS; Peter Simon, PhD; Jason Nydick, DO
 - Investigator-initiated research funding grant provided by Endo

About Dupuytren’s Contracture

DC is a lifelong condition that may get worse over time. It’s caused by a buildup of collagen in the hand, which forms a rope-like cord that pulls fingers toward the palm so they can’t be straightened. As DC progresses, it may become difficult for individuals to use their hand(s) for daily tasks and activities.

WHAT IS XIAFLEX®?

XIAFLEX is a prescription medicine used to treat adults with Dupuytren’s contracture when a “cord” can be felt. It is not known if XIAFLEX is safe and effective in children under the age of 18.

IMPORTANT SAFETY INFORMATION FOR XIAFLEX

Do not receive XIAFLEX if you have had an allergic reaction to collagenase clostridium histolyticum or any of the ingredients in XIAFLEX, or to any other collagenase product. See the end of the Medication Guide for a complete list of ingredients in XIAFLEX.

XIAFLEX can cause serious side effects, including:

- **Tendon rupture or ligament damage.** Receiving an injection of XIAFLEX may cause damage to a tendon or ligament in your hand and cause it to break or weaken. This could require surgery to fix the damaged tendon or ligament. Call your healthcare provider right away if you have trouble bending your injected finger (towards the wrist) after the swelling goes down or you have problems using your treated hand after your follow-up visit
- **Nerve injury or other serious injury of the hand.** After finger procedures, some people developed tears in the skin (lacerations), and local skin and soft-tissue necrosis (death of skin cells). Some lacerations and necrosis required skin grafting, or other surgery including amputation. **Call your healthcare provider right away** if you get numbness, tingling, increased pain, or tears in the skin (laceration) in your treated finger or hand after your injection or after your follow-up visit
- **Hypersensitivity reactions, including anaphylaxis.** Severe allergic reactions can happen in people who receive XIAFLEX because it contains foreign proteins. **Call your healthcare provider right away if you have any of these symptoms of an allergic reaction after an injection of XIAFLEX:**
 - hives
 - swollen face
 - breathing trouble

- chest pain
- low blood pressure
- dizziness or fainting
- Fainting (passing out) or near fainting can happen in people who receive XIAFLEX, especially following finger procedures
If you have dizziness or feel faint after receiving XIAFLEX, lie down until the symptoms go away.
- **Increased chance of bleeding.** Bleeding or bruising at the injection site can happen in people who receive XIAFLEX. Talk to your healthcare provider if you have a problem with your blood clotting. XIAFLEX may not be right for you.

Before receiving XIAFLEX, tell your healthcare provider if you have had an allergic reaction to a previous XIAFLEX injection, or have a bleeding problem or any other medical conditions. Tell your healthcare provider about all the medicines you take, including prescription and non-prescription medicines, vitamins, and herbal supplements. Using XIAFLEX with certain other medicines can cause serious side effects. Especially tell your healthcare provider if you take medicines to thin your blood (anticoagulants). If you are told to stop taking a blood thinner before your XIAFLEX injection, your healthcare provider should tell you when to restart the blood thinner. Ask your healthcare provider or pharmacist for a list of these medicines if you are unsure.

The most common side effects with XIAFLEX for the treatment of Dupuytren's contracture include:

- swelling of the injection site or the hand
- bruising or bleeding at the injection site
- pain or tenderness of the injection site or the hand
- swelling of the lymph nodes (glands) in the elbow or armpit
- itching
- breaks in the skin
- redness or warmth of the skin
- pain in the armpit

Tell your healthcare provider if you have any side effect that bothers you or does not go away. These are not all of the possible side effects with XIAFLEX. For more information, ask your healthcare provider or pharmacist.

Click for full [Prescribing Information](#), including [Medication Guide](#).

About Endo

Endo (OTC: ENDPQ) is a specialty pharmaceutical company committed to helping everyone we serve live their best life through the delivery of quality, life-enhancing therapies. Our decades of proven success come from passionate team members around the globe collaborating to bring treatments forward. Together, we boldly transform insights into treatments benefiting those who need them, when they need them. Learn more at www.endo.com or connect with us on [LinkedIn](#).

Cautionary Note Regarding Forward-Looking Statements

Certain information in this press release may be considered "forward-looking statements" within the meaning of the Private Securities Litigation Reform Act of 1995 and any applicable Canadian securities legislation including, but not limited to, the statements by Dr. Nydick, any statements relating to product efficacy, potential treatments or indications, therapeutic outcomes or treatment responses, and any statements that refer to expected, estimated or anticipated future results or that do not relate solely to historical facts. Statements including words or phrases such as "believe," "expect," "anticipate," "intend," "estimate," "plan," "will," "may," "look forward," "intend," "guidance," "future," "potential" or similar expressions are forward-looking statements. All forward-looking statements in this communication reflect the Company's current views as of the date of this communication about its plans, intentions, expectations, strategies and prospects, which are based on the information currently available to it and on assumptions it has made. Actual results may differ materially and adversely from current expectations based on a number of factors, including, among other things, the outcome of the Company's contingency planning and restructuring activities; the timing, impact or results of any pending or future litigation, investigations, proceedings or claims, including opioid, tax and antitrust related matters; any actual or contingent liabilities; settlement discussions or negotiations; the Company's liquidity, financial performance, cash position and operations; the risks and uncertainties associated with chapter 11 proceedings; the time, terms and ability to complete a chapter 11 plan of reorganization or to pursue an alternative emergence transaction; the risk that the Company's chapter 11 cases may be converted to cases under chapter 7 of the Bankruptcy Code; the adequacy of the capital resources of the Company's businesses and the difficulty in forecasting the liquidity requirements of the operations of the Company's businesses; the unpredictability of the Company's financial results; the Company's ability to discharge claims in chapter 11 proceedings; negotiations with the holders of the Company's indebtedness and its trade creditors and other significant creditors; the risks and uncertainties with performing under the terms of the restructuring support agreement and any other arrangement with lenders or creditors while in chapter 11 proceedings; the performance, including the approval, introduction, and consumer and physician acceptance of new products and the continuing acceptance of currently marketed products; and the Company's ability to obtain and successfully manufacture, maintain and distribute a sufficient supply of products to meet market demand in a timely manner. The Company expressly disclaims any intent or obligation to update these forward-looking statements, except as required to do so by law.

Additional information concerning risk factors, including those referenced above, can be found in press releases issued by the Company, as well as the Company's public periodic filings with the U.S. Securities and Exchange Commission and with securities regulators in Canada, including the discussion under the heading "Risk Factors" in the Company's most recent Annual Report on Form 10-K and any subsequent Quarterly Reports on Form 10-Q or other filings with the U.S. Securities and Exchange Commission.

Endo International plc:

Media:

Linda Huss

media.relations@endo.com

Investors:

Laure Park

relations.investor@endo.com

###